

## PERFECT LATTICES IN EUCLIDEAN SPACES : REFERENCES

**Last update: August 30th, 2025**

In what follows, we first give an updated version of the reference list of the book “Perfect Lattices in Euclidean Spaces”; this occupies pages 2 to 15.

We next list (from page 16 onwards) some new references related to notions discussed in the book: perfection, eutaxy, minimal classes, density, kissing number, . . .

*Note: this second part is permanently in construction.*

## REFERENCES

- [Ash1] A. Ash, *On eutactic forms*, Can. J. Math. **29** (1977), 1040–1054.
- [Ash2] A. Ash, *On the existence of eutactic forms*, Bull. London Math. Soc. **12** (1980), 192–196.
- [A-MC] A. Ash, M. Mc Connel, *Cohomology at infinity and the well-rounded retract for general linear groups*, Duke Math. J. **90** (1997), 549–576.
- [ATLAS] J.H. Conway, R.T. Curtis, S.P. Norton, R.A. Parker, R.A. Wilson, *ATLAS of Finite Groups*, Oxford Univ. Press, Oxford (1985).
- [Bc1] R. Bacher, *Dense lattices in dimensions 27, 28 and 29*, Invent. Math. **130** (1997), 153–158.
- [Bc2] R. Bacher, *Tables de réseaux entiers unimodulaires construits comme  $k$ -voisins de  $\mathbb{Z}^n$* , J. Th. Nombres de Bordeaux **9** (1997), 479–497.
- [Bc-V1] R. Bacher, B. Venkov, *Lattices and association schemes: a unimodular example without roots in dimension 28*, Ann. Inst. Fourier **45** (1995), 1163–1176.
- [Bc-V2] R. Bacher, B. Venkov, *Réseaux entiers unimodulaires sans racines en dimension 27 et 28*, [Mar’] (2001), 212–267.
- [Bac1] C. Bachoc, *Voisinages au sens de Kneser pour les réseaux quaternioniens*, Comm. Math. Helvet. **70** (1995), 350–374.
- [Bac2] C. Bachoc, *Applications of coding theory to the construction of modular lattices*, J. Comb. Th., A **78-1** (1997), 92–119.
- [Bac-Bt] C. Bachoc, C. Batut, *Étude algorithmique de réseaux construits avec la forme trace*, J. Exp. Math. **1** (1992), 183–190.
- [Bac-C-N] C. Bachoc, R. Coulangeon, G. Nebe, *Designs in Grassmannian spaces and lattices*, J. Algebraic Combinatorics **16** (2002), 5–19.
- [Bac-Ne1] C. Bachoc, G. Nebe, *Classification of Two Genera of 32-Dimensional Lattices of Rank 8 over the Hurwitz Order*, Exp. Math. **6** (1997), 151–162.
- [Bac-Ne2] C. Bachoc, G. Nebe, *Extremal lattices of minimum 8 related to the Mathieu group  $M_{22}$* , J. reine angew. Math. **494** (1998), 155–171.
- [Bac-V] C. Bachoc, B. Venkov, *Modular forms, lattices and spherical designs*, [Mar’] (2001), 87–111.
- [B-I] R. Baeza, M.I. Icaza, *On Humbert-Minkowski constant for a number field*, Proc. Amer. Math. Soc. **125** (1997), 3195–3202.
- [B-C-I-O] R. Baeza, R. Coulangeon, M.I. Icaza, M. O’Ryan, *Hermite’s constant for quadratic number fields*, Exp. Math. **10** (2001), 543–550.
- E. Bannai*. See [C-S], Chapter 14, and the complementary bibliography.
- [Br-R] E.P. Baranovskii, S.S. Ryshkov, *Derivation of perfect lattices from admissible centerings*, Russian Math. Survey **40, 4** (1985), 155–156; Russian original: 1985.
- [Bari] J-L. Baril, *Autour de l’algorithme de Voronoï : construction de réseaux euclidiens*, Thèse, Bordeaux (1996).
- [Bar1] E.S. Barnes, *Note on extreme forms*, Canad. J. Math **7** (1955), 150–154.

- [Bar2] E.S. Barnes, *On a theorem of Voronoï*, Proc. Cambridge Phil. Soc. **53** (1957), 537–539.
- [Bar3] E.S. Barnes, *The perfect and extreme senary forms*, Canad. J. Math. **9** (1957), 235–242.
- [Bar4] E.S. Barnes, *The complete enumeration of extreme senary forms*, Phil. Trans. Roy. Soc. London (**A**), **249** (1957), 461–506.
- [Bar5] E.S. Barnes, *The construction of perfect and extreme forms I, II*, Acta Arith. **5** (1959), 57–79, 461–506.
- [Bar6] E.S. Barnes, *Criteria for extreme forms*, J. Austral. Math. Soc. **1** (1959), 17–20.
- [B-W] E.S. Barnes, G.E. Wall, *Some extreme forms defined in terms of abelian groups*, J. Austral. Math. Soc. **1** (1959), 47–63.
- [Bt] C. Batut, *Classification of quintic eutactic forms*, Math. Comp. **70** (2001), 395–417.
- [Bt-M] C. Batut, J. Martinet, *Radiographie des réseaux parfaits*, Exp. Math. **3** (1994), 39–49.
- [Bt-M'] C. Batut, J. Martinet, *A Catalogue of Perfect Lattices*, <http://www.math.u-bordeaux.fr/~martinet/>.
- [Bt-Q-S] C. Batut, H-G. Quebbemann, R. Scharlau, *Computations of cyclotomic lattices*, Exp. Math. **4** (1995), 175–179.
- C. Batut. See also C. Bachoc and the appendix to [Mar5].
- [Bav1] C. Bavard, *Systole et invariant d’Hermite*, J. reine angew. Math. **482** (1997), 93–120.
- [Bav2] C. Bavard, *Classes minimales des réseaux et rétractions géométriques équivariantes dans les espaces symétriques*, J. London Mat. Soc. **64** (2001), 275–286.
- [Bav3] C. Bavard, *Familles hyperboliques de réseaux symplectiques*, Math. Ann. **320** (2001), 799–833.
- [Bav4] C. Bavard, *Théorie de Voronoï géométrique. Propriétés de finitude pour les familles de réseaux et analogues*, Bull. Soc. Math. France **133** (2005), 205–257.
- [Bav5] C. Bavard, *Invariant d’Hermite isotrope et densité des réseaux orthogonaux lorentziens*, Comment. Math. Helvetici **82** (2007), 39–60.
- [Bay1] E. Bayer-Fluckiger, *Definite unimodular lattices having an automorphism of given characteristic polynomial*, Comm. Math. Helvet. **59** (1984), 509–538.
- [Bay2] E. Bayer-Fluckiger, *Réseaux unimodulaires*, Sémin. Th. Nombres Bordeaux (=J. Th. Nombres de Bordeaux) **1** (1989), 189–196.
- [Bay3] E. Bayer-Fluckiger, *Lattices and number fields*, Contemporary Math. **241** (1999), 69–84.
- [Bay4] E. Bayer-Fluckiger, *Cyclotomic modular lattices*, J. Th. Nombres de Bordeaux **12** (2000), 273–280.
- [Bay5] E. Bayer-Fluckiger, *Ideal lattices*, Cambridge Univ. Press, Proc. of the conference in honor of Alan Baker, “Number Theory and Diophantine Geometry”, Cambridge Univ. Press (2002), pp. 168–184.
- [Bay-M] E. Bayer-Fluckiger, J. Martinet, *Formes quadratiques liées aux algèbres semi-simples*, J. reine angew. Math. **451** (1994), 51–69.

- [Be-B] E.F. Beckenbach, R. Bellman, *Inequalities*, Springer-Verlag, Ergebnisse **30**, Heidelberg (1961).  
*R. Bellman*. See E.F. Beckenbach.  
*C.T. Benson*. See L.C. Grove.
- [Ber1] A.-M. Bergé, *Minimal vectors of pairs of dual lattices*, J. Number Theory **52** (1995), 284–298.
- [Ber2] A.-M. Bergé, *Classification of positive forms having prescribed automorphisms*, Contemporary Math. **249** (1999), 199–204.
- [Ber3] A.-M. Bergé, *Symplectic Lattices*, Contemporary Math. **272** (2000), 9–22.
- [Ber4] A.-M. Bergé, *Une forme duale-extrême irrationnelle*, J. Th. Nombres de Bordeaux **12** (2000), 281–291.
- [B-M1] A.-M. Bergé, J. Martinet, *Sur un problème de dualité lié aux sphères en géométrie des nombres*, J. Number Theory **32** (1989), 14–42.
- [B-M2] A.-M. Bergé, J. Martinet, *Sur les minoration géométriques des régulateurs*, in Sémin. Th. Nombres de Paris 1987–88, Prog. Math. **81**, Birkhäuser, Basel (1989), 23–49.
- [B-M3] A.-M. Bergé, J. Martinet, *Réseaux extrêmes pour un groupe d'automorphismes*, Astérisque **198–200** (1992), 41–66.
- [B-M4] A.-M. Bergé, J. Martinet, *Densité dans des familles de réseaux. Application aux réseaux isoduaux*, L'Ens. Math. **41** (1995), 335–365.
- [B-M5] A.-M. Bergé, J. Martinet, *Sur la classification des réseaux eutactiques*, J. London Math. Soc. **53** (1996), 417–432.
- [B-M6] A.-M. Bergé, J. Martinet, *Symmetric groups and lattices*, Monatshefte Math. **140** (2003), 179–195.
- [B-M-S] A.-M. Bergé, J. Martinet, F. Sigrüst, *Une généralisation de l'algorithme de Voronoï*, Astérisque **209** (1992), 137–158.
- [Be-S] N. Bernstein, N.J.A. Sloane, *Some Lattices Obtained from Riemann Surfaces*, Contemporary Math. **201** (2002), 29–32.
- [Bl1] H.F. Blichfeldt, *The minimum value of quadratic forms and the closest packing of spheres*, Math. Ann. **101** (1929), 605–608.
- [Bl2] H.F. Blichfeldt, *The minimum value of positive quadratic forms in six, seven and eight variables*, Math. Z. **39** (1935), 1–15.
- [Bor1] R. Borcherds, *The Leech lattice and other lattices*, Ph. D. Thesis, Cambridge, U.K. (1984).
- [Bor2] R. Borcherds, *Classification of positive definite lattices*, Duke Math J. **105** (2000), 525–567.
- [Borel] A. Borel, *Introduction aux groupes arithmétiques*, Hermann, Paris (1969).
- [Bou1] N. Bourbaki, *Topologie Generale II, Chap. 5–10*, Hermann, Paris (1974).
- [Bou2] N. Bourbaki, *Algèbre, chapitres I–X*, Masson, Paris (1980).
- [Bou3] N. Bourbaki, *Groupes et algèbres de Lie*, Masson (now Dunod), Paris (1981).
- [B-C] R. Brauer, H.S.M. Coxeter, *A generalization of theorems of Schönhardt and Mehmke on polytopes*, Trans. Roy. Soc. Canada III (**3**), **34** (1940), 29–34. [= Richard Brauer, Coll. papers III, The M.I.T. Press, Cambridge, Massachusetts (1980), 653–658.]

- [B-E] M. Broué, M. Enguehard, *Une famille infinie de formes quadratiques entières ; leurs groupes d'automorphismes*, Ann. Sc. E.N.S. **6** (1973), 17–53.
- [Bu-Sa] P. Buser, P. Sarnak, *On the period matrix of a Riemann surface of large genus* (with an Appendix by J.H. Conway and N.J.A. Sloane), Invent. Math. **117** (1994), 27–56.
- [Cas1] J.W.S. Cassels, *An Introduction to Diophantine Approximation*, Cambridge University Press, Tract **45**, Cambridge, U.K. (1965; first edition: 1957).
- [Cas2] J.W.S. Cassels, *An Introduction to the Geometry of Numbers*, Springer-Verlag, Grundlehren **99**, Heidelberg (1959).
- [Cas3] J.W.S. Cassels, *Rational Quadratic Forms*, Academic Press, London (1978).
- [C-F] J.W.S. Cassels, A. Fröhlich, ed., *Algebraic Number Theory*, Academic Press, New-York (1967).
- [Chn] T.W. Chaundy, *The arithmetic minima of positive quadratic forms (I)*, Quart. J. Math. Oxford **17** (1946), 166–192.
- [Coh] H. Cohen, *A Course in Computational Algebraic Number Theory*, Graduate Texts in Math. **138**, Springer-Verlag, Heidelberg (1993).
- [C-S] J.H. Conway, N.J.A. Sloane, *Sphere Packings, Lattices and Groups*, Grundlehren **290**, Springer-Verlag, Heidelberg (1988).
- [C-S'] J.H. Conway, N.J.A. Sloane, second edition of [C-S] (1993).
- [C-S''] J.H. Conway, N.J.A. Sloane, third edition of [C-S] (1999).
- [C-S1] J.H. Conway, N.J.A. Sloane, *Complex and integral laminated lattices*, Trans. Amer. Math. Soc. **280** (1983), 463–490.
- [C-S2] J.H. Conway, N.J.A. Sloane, *The Coxeter–Todd lattice, the Mitchell group, and related sphere packings*, Math. Proc. Cambridge Phil. Soc. **93** (1983), 421–440.
- [C-S3] J.H. Conway, N.J.A. Sloane, *Low-Dimensional Lattices. I. Quadratic Forms of Small Determinant*, Proc. Royal Soc. London **A 418** (1988), 17–41.
- [C-S4] J.H. Conway, N.J.A. Sloane, *Low-Dimensional Lattices. II. Subgroups of  $GL(n, \mathbb{Z})$* , Proc. Royal Soc. London **A 419** (1988), 29–68.
- [C-S5] J.H. Conway, N.J.A. Sloane, *Low-Dimensional Lattices. III. Perfect Forms*, Proc. Royal Soc. London **A 418** (1988), 43–80.
- [C-S6] J.H. Conway, N.J.A. Sloane, *Low-Dimensional Lattices. IV. The Mass Formula*, Proc. Royal Soc. London **A 419** (1988), 259–286.
- [C-S7] J.H. Conway, N.J.A. Sloane, *Low-Dimensional Lattices V. Integral Coordinates for Integral Lattices*, Proc. Royal Soc. London **A 426** (1989), 211–232.
- [C-S8] J.H. Conway, N.J.A. Sloane, *Low-Dimensional Lattices. VI. Voronoi Reduction of Three-Dimensional Lattices*, Proc. Royal Soc. London **A 436** (1992), 55–68.
- [C-S9] J.H. Conway, N.J.A. Sloane, *On Lattices Equivalent to Their Duals*, J. Number Theory **48** (1994), 373–382.
- [C-S10] J.H. Conway, N.J.A. Sloane, *A Lattice Without a Basis of Minimal Vectors*, Mathematika **42** (1995), 175–177.

- [C-S11] J.H. Conway, N.J.A. Sloane, *Low-Dimensional Lattices. VII. Coordination Sequences*, Proc. Royal Soc. London **A 453** (1997), 2369–2389.
- [C-H-S] J.H. Conway, R. H. Hardin, N. J. A. Sloane, *Packing Lines, Planes, etc.: Packings in Grassmannian Space*, Experimental Math. **5** (1996), 139–159.
- J.H. Conway.* See also [ATLAS] and Appendix 2 to [Bu-Sa].
- [Cou1] R. Coulangeon, *Réseaux quaternioniens et invariant de Venkov*, Manuscripta Math. **82** (1994), 44–50.
- [Cou2] R. Coulangeon, *Réseaux unimodulaires quaternioniens en dimension  $\leq 32$* , Acta Arith. **70** (1995), 9–24.
- [Cou3] R. Coulangeon, *Réseaux  $k$ -extrêmes*, Proc. London Math. Soc **73** (1996), 555–574.
- [Cou4] R. Coulangeon, *Minimal vectors in the second exterior power of a lattice*, J. Algebra **194** (1997), 467–476.
- [Cou5] R. Coulangeon, *Tensor products of Hermitian lattices*, Acta Arith. **92** (2000), 115–130.
- [Cou6] R. Coulangeon, *Voronoi theory over algebraic number fields*, [Mar'] (2001), 147–162.
- R. Coulangeon.* See also Bachoc, Baeza, and the appendix to [Mar-V1].
- [Cox1] H.S.M. Coxeter, *Integral Cayley Numbers*, Duke Math. J. **13** (1946), 561–578.
- [Cox2] H.S.M. Coxeter, *Extreme forms*, Canad. J. Math. **3** (1951), 391–441.
- [C-T] H.S.M. Coxeter, J.A. Todd, *An extreme duodenary form*, Canad. J. Math. **5** (1953), 384–392.
- H.S.M. Coxeter.* See also R. Brauer.
- [Cra1] M. Craig, *A characterization of certain extreme forms*, Illinois J. Math. **20** (1976), 706–717.
- [Cra2] M. Craig, *Extreme forms and cyclotomy*, Mathematika **25** (1978), 44–56.
- [Cra3] M. Craig, *A cyclotomic construction for Leech's lattice*, Mathematika **25** (1978), 236–241.
- [Cs1] G. Csóka, *Three theorems on the minimal vectors of a perfect lattice*, Ann. Univ. Sc. Budapest Eötvös, Sect. Math. **23** (1986), 283–291.
- [Cs2] G. Csóka, *There exists a basis of minimal vectors in every  $n \leq 7$  dimensional perfect lattice*, Ann. Univ. Sc. Budapest Eötvös, Sect. Math. **30** (1987), 245–258.
- R.T. Curtis.* See [ATLAS].
- [De] M. Deuring, *Algebren*, Chelsea Publishing Company, New York (1948); Springer-Verlag, Heidelberg (1968). [Original edition: Julius Springer, Berlin (1935).]
- [Die] J. Dieudonné, *Sur les groupes classiques* (third edition), Hermann, Paris (1967).
- [D-T] N. Dummigan, P.H. Tiep, *Lower bounds for the minima of certain symplectic and unitary group lattices*, Amer. J. Math. **121** (1999), 889–918.
- [Eb] W. Ebeling, *Lattices and codes*, Vieweg, Wiesbaden (1994).

- [E-R-S] Y. Edelman, E.M. Rains, N.J.A. Sloane, *On kissing numbers in dimensions 32 to 128*, *Elect. J. Combinatorics* **5** (1998), paper R22.
- [El1] N. Elkies, *Mordell-Weil lattices in characteristic 2, I: Construction and first properties*, *Internat. Math. Res. Notice* **8** (1994), 343–361.
- [El2] N. Elkies, *A characterization of the  $\mathbb{Z}^n$  lattice*, *Math. Res. Lett.* **2** (1995), 321–326.
- [El3] N. Elkies, *Lattices and codes with long shadows*, *Math. Res. Lett.* **2** (1995), 643–651.
- [El4] N. Elkies, *Mordell-Weil lattices in characteristic 2, II: The Leech lattice as a Mordell-Weil lattice*, *Invent. Math.* **128** (1997), 1–8.
- [El5] N. Elkies, *The Klein quartic in number theory*, in *The Eightfold Way*, S. Levy ed., *Math. Sc. Research Inst. Pub.* **35**, Cambridge University Press, Cambridge, U.K. (1999).
- [El6] N. Elkies, *Lattices, linear codes, and invariants, Part I and Part II*, *Notices of the A.M.S.* **47** (2000), 1238–1245 and 1382–1391.
- [El7] N. Elkies, *Mordell-Weil lattices in characteristic 2, III: A Mordell-Weil lattice of rank 128*, *Exp. Math.* **10** (2001), 467–473.
- M. Enguehard.* See M. Broué.
- [Fe1] W. Feit, *On integral representations of finite groups*, *J. London Math. Soc.* **29** (1974), 633–683.
- [Fe2] W. Feit, *Some lattices over  $\mathbb{Q}(\sqrt{-3})$* , *J. Algebra* **52** (1978), 248–263.
- [Gi] M. Gindraux, after a talk at the Bordeaux Number Theory Seminar, December 1st, 2002 (in preparation).
- see [Gi'] in the COMPLEMENTARY BIBLIOGRAPHY below.
- [Gro] B. Gross, *Group representation and lattices*, *J. Amer. Math. Soc.* **3** (1990), 929–960.
- [G-B] L.C. Grove, C.T. Benson, *Finite Reflection Groups*, *Graduate Texts in Math.* **99**, Springer-Verlag, Heidelberg (1971, 1985).
- [Ha] A.J. Hahn, *The coset lattices of E.S. Barnes and G.E. Wall*, *J. Austral. Math. Soc.* **49** (1990), 418–433.
- [Hl] T.C. Hales, *The Kepler Conjecture*, <http://www.math.lsa.umich.edu/~hales/>.
- R.H. Hardin.* See J.H. Conway.
- [H-W] G.H. Hardy, E.M. Wright, *An Introduction to the Theory of Numbers*, Clarendon Press (Oxford Science Publication), Oxford (1979). [Fifth edition; first edition: 1938.]
- [Hecke] E. Hecke, *Mathematische Werke*, Vandenhoeck & Ruprecht, Göttingen (1970).
- [He1] Ch. Hermite, *Sur la théorie des formes quadratiques ternaires*, *J. reine angew. Math.* **40** (1850), 173–177. [= [He3], tome I, pp. 94–99.]
- [He2] Ch. Hermite, *Lettres à Jacobi*, *J. reine angew. Math.* **40** (1850), 261–278. [= [He3], tome I, pp. 100–121.]
- [He3] Ch. Hermite, *Œuvres*, Gauthier-Villars, Paris (1905).
- [Hof] N. Hofreiter, *Über Extremformen*, *Monatshefte Math. Phys.* **40** (1933), 129–152.

- [Hmb1] P. Humbert, *Théorie de la réduction des formes quadratiques définies positives dans un corps algébrique  $K$  fini*, Comment. Math. Helv. **12** (1940), 263–306.
- [Hmb2] P. Humbert, *Réduction de formes quadratiques dans un corps algébrique fini*, Comment. Math. Helv. **23** (1949), 50–63.
- [Hmp1] J.E. Humphreys, *Introduction to Lie algebras and representation theory*, Springer-Verlag, Heidelberg (1980).
- [Hmp2] J.E. Humphreys, *Reflection groups and Coxeter groups*, Cambridge University Press, Cambridge, U.K. (1992).
- D. Husemoller.* See J. Milnor.
- [I] M.I. Icaza, *Hermite constant and extreme forms for algebraic number fields*, J. London Math. Soc. **55** (1977), 11–22.
- M.I. Icaza.* See also R. Baeza, R. Coulangeon.
- [Ja1] D-O. Jaquet, *Domaines de Voronoï et algorithme de réduction des formes quadratiques définies positives*, Sémin. Th. Nombres de Bordeaux (= J. Th. Nombres de Bordeaux) **2** (1990), 163–215.
- [Ja2] D-O. Jaquet, *Énumération complète des classes de formes parfaites en dimension 7*, Thèse, Neuchâtel (1991).
- [Ja3] D-O. Jaquet, *Classification des réseaux dans  $\mathbb{R}^7$  (à l'aide de la notion de formes parfaites)*, Astérisque **198–199–200** (1992), 177–185.
- [Ja4] D-O. Jaquet-Chiffelle, *Description des voisines de  $E_7$ ,  $D_7$ ,  $D_8$  et  $D_9$* , Sémin. Th. Nombres de Bordeaux (= J. Th. Nombres de Bordeaux) **4** (1992), 273–374.
- [Ja5] D-O. Jaquet-Chiffelle, *Énumération complète des classes de formes parfaites en dimension 7*, Ann. Inst. Fourier **43,1** (1993), 21–55.
- [Ja6] D-O. Jaquet-Chiffelle, *Trois théorèmes de finitude pour les  $G$ -formes*, J. Th. Nombres de Bordeaux **7** (1995), 165–176.
- [Ja7] D-O. Jaquet-Chiffelle, Mail to J. Martinet, June 14, 1993.
- [Ja-S1] D-O. Jaquet, F. Sigrist, *Formes quadratiques contiguës à  $D_7$* , C. R. Acad. Sc. Paris **A 309** (1989), 641–644.
- [Ja-S2] D-O. Jaquet-Chiffelle, F. Sigrist, *Classification des formes quadratiques réelles : un contre-exemple à la finitude*, Acta Arith. **68** (1994), 291–294.
- [Ka-L] G.A. Kabatiansky, V.I. Levenshtein, *Bounds for packings on a sphere and in space*, Problems of Information Transmission **14** (1978), 1–17.
- [Kan] R. Kane, *Reflection Groups and Invariant Theory*, CMS Books in Mathematics, Springer-Verlag, Heidelberg (2001).
- [Ker] M. Kervaire, *Unimodular lattices with a complete root system*, L'Ens. Math. **40** (1994), 59–104.
- [Kg] O. King, *A mass formula for unimodular lattices with no roots*, Math. Comp. **72** (2003), 839–863; see also: *Table of masses of 32-dimensional even unimodular lattices having any given root system* (2 megabytes). Available at <http://llama.mshri.on.ca/~king/>
- [Ki] Y. Kitaoka, *Arithmetic of quadratic forms*, Cambridge University Press, Tract **106**, Cambridge, U.K. (1993).
- [Kn1] M. Kneser, *Two remarks on extreme forms*, Canad. J. Math. **7** (1955), 145–149.

- [Kn2] M. Kneser, *Klassenzahlen definiter quadratischen Formen*, Archiv der Math. **8** (1957), 241–250.
- [K-M-R-T] M.-A. Knus, A. Merkurjev, M. Rost, J.-P. Tignol, *The Book of Involutions*, American Mathematical Society (1998).
- [K-V] H. Koch, B. Venkov, *Über ganzzahlige unimodulare euklidische Gitter*, J. reine angew. Math. **398** (1989), 144–168.
- [K-Z1] A. Korkine, G. Zolotareff, *Sur les formes quadratiques positives quaternaires*, Math. Ann. **5** (1872), 581–583.
- [K-Z2] A. Korkine, G. Zolotareff, *Sur les formes quadratiques*, Math. Ann. **6** (1873), 366–389.
- [K-Z3] A. Korkine, G. Zolotareff, *Sur les formes quadratiques positives*, Math. Ann. **11** (1877), 242–292.
- [Ks-P] F.R. Kschischang, S. Pasupathy, *Some ternary and quaternary codes and associated sphere packings*, Trans. Information Theory **38** (1992), 227–246.
- [Lah] M. Läihem, *Construction algorithmique de réseaux parfaits*, Thèse, Bordeaux (1992).
- [Lar] J. Larmouth, *The enumeration of perfect forms*, in *Computers in Number Theory*, A.O.L. Atkin and J. Birch ed., Academic Press, New-York, 237–239.
- [Le-Sl] J. Leech, N.J.A. Sloane, *Sphere packing and error-correcting codes*, Canad. J. Math. **23** (1971), 718–745. [= Chap. 5 of [C-S].]
- [Le-Se ] P.W.H. Lemmens and J.J. Seidel, *Equiangular lines*, J. Algebra **24** (1973), 494–512.
- [L-S-T] W. Lempken, B. Schröder, P.H. Tiep, *Symmetric squares, spherical designs, and lattice minima* (with an appendix by *Christine Bachoc* and *Tiep*), J. Algebra **240** (2001), 185–208.
- [LLL] A.K. Lenstra, H.W. Lenstra, L. Lovász, *Factoring polynomials with rational coefficients*, Math. Ann. **261** (1982), 515–534.
- V.I. Levenshtein. See G.A. Kabatiansky.
- [vL] J.H. van Lint, *Introduction to coding theory*, Graduate Texts in Math. **86**, Springer-Verlag, Heidelberg (1999). [Third edition; first edition: 1982.]
- [Lo-So] P. Loyer, P. Solé, *Les réseaux  $BW_{32}$  et  $U_{32}$  sont équivalents*, J. Th. Nombres de Bordeaux **6** (1994), 359–362.
- M. Mc Connell. See A. Ash.
- [McW-S] F.J. MacWilliams, N.J.A. Sloane, *The Theory of Error Correcting Codes*, North Holland, Amsterdam (2nd printing, 1978).
- [Mar] J. Martinet, *Les réseaux parfaits des espaces euclidiens*, Masson (now Dunod), Paris (1996).
- [Mar'] J. Martinet, editor (writer for 60%), *Réseaux euclidiens, designs sphériques et formes modulaires*, L'Ens. Math., Monographie **37**, Genève (2001).
- [Mar1] J. Martinet, *Structures algébriques sur les réseaux*, in *Number Theory*, (Sém. Th. Nombres de Paris 1992–93), S. David ed., Cambridge University Press, Cambridge, U.K. (1995), 167–186.

- [Mar2] J. Martinet, *Une famille de réseaux dual-extrêmes*, J. Th. Nombres de Bordeaux **9** (1997), 169–181.
- [Mar3] J. Martinet, *Algebraic constructions of lattices; isodual lattices*, Acts of the Eger congress (Hungary, 1996), Walter de Gruyter (1998), 349–360.
- [Mar4] J. Martinet, *Perfect and eutactic lattices: extensions of Voronoi’s theory*, in Voronoi’s Impact on Modern Science, P. Engel, H. Syta ed., Proc. Inst. Math. National Acad. Sc. Ukrain **21**, book 1, Kyiv (1998), 186–198.
- [Mar5] J. Martinet, *Sur la classification des réseaux parfaits de dimension 5*, J. Th. Nombres de Bordeaux **11** (Actes des Journées Arithmétiques de Limoges de 1997) (1999), 149–159.
- [Mar6] J. Martinet, *Sur l’indice d’un sous-réseau* (with an appendix by C. Batut), [Mar’] (2001), 163–211.
- [Mar7] J. Martinet, *Sur certains designs sphériques liés à des réseaux entiers*, [Mar’] (2001), 135–146.
- [Mar8] J. Martinet, *Reduction Modulo 2 and 3 of Euclidean Lattices*, J. Algebra **251** (2002), 864–887.
- [Mar-V1] J. Martinet, B. Venkov, *Les réseaux fortement eutactiques* (with an appendix by R. Coulangeon), [Mar’] (2001), 112–134.
- J. Martinet. See also C. Batut, E. Bayer-Fluckiger, A.-M. Bergé.
- [Mic] L. Michel, E-mail to the author (September 12, 1997).
- [M-H] J. Milnor, D. Husemoller, *Symmetric Bilinear Forms*, Springer-Verlag, Ergebnisse **73**, Heidelberg (1973).
- [Min1] H. Minkowski, *Gesammelte Abhandlungen*, Chelsea, New York (1967; first edition: Leipzig, 1911).
- [Min2] H. Minkowski, *Geometrie der Zahlen*, Johnson reprint Co., New York (1968; first edition: Leipzig, 1896).
- [Mor] L.J. Mordell, *Observation on the minimum of a positive definite quadratic form in eight variables*, J. London Math. Soc. **9** (1944), 3–6.
- [Nap1] H. Napias, *Sur quelques réseaux contenus dans les réseaux de Leech et de Quebbemann*, Comptes Rendus Acad. Sc. Paris **319**, série I (1994), 653–658.
- [Nap2] H. Napias, *Étude expérimentale et algorithmique des réseaux euclidiens*, Thèse, Bordeaux (1996).
- [Ne1] G. Nebe, *Endliche rationale Matrixgruppen vom Grad 24*, Aachener Beiträge zur Mathematik, Verlag der Augustinus Buchhandlung (1995).
- [Ne2] G. Nebe, *Finite subgroups of  $GL_n(\mathbb{Q})$  for  $25 \leq n \leq 31$* , Comm. Alg. **24** (1996), 2341–2397.
- [Ne3] G. Nebe, *Finite subgroups of  $GL_{24}(\mathbb{Q})$* , Exp. Math. **5** (1996), 163–195.
- [Ne4] G. Nebe, *The normalizer action and strongly modular lattices*, L’Ens. Math. **43** (1997), 67–76.
- [Ne5] G. Nebe, *Some Cyclo-quaternionic Lattices*, J. Algebra **199** (1998), 472–498.
- [Ne-Pl] G. Nebe, W. Plesken, *Finite rational matrix groups*, Memoirs A.M.S. **116**, no. **556** (1995), 1–144.

- [Ne-R-S] G. Nebe, E. Rains, N.J.A. Sloane, *A Simple Construction for the Barnes–Wall Lattices*, in *The Forney Festschrift*, R. Blahut ed., in *Codes, Graphs, and Systems: A Celebration of the Life and Career of G. David Forney, Jr. on the Occasion of his Sixtieth Birthday*, edited by R. E. Blahut and R. Koetter, Kluwer (2002), 333–342.
- [Ne-Sl] G. Nebe, N.J.A. Sloane, *A Catalogue of Lattices*, <http://www.math.rwth-aachen.de/~Gabriele.Nebe/LATTICES/>  
[Formerly: <http://www.research.att.com/~njas/lattices/index.html>]
- [Ne-V1] G. Nebe, B. Venkov, *Nonexistence of extremal lattices in certain genera of modular lattices*, *J. Number Theory* **60** (1996), 310–317.
- [Ne-V2] G. Nebe, B. Venkov, *The strongly perfect lattices in dimension 10*, *J. Th. Nombres de Bordeaux* **12** (2000), 503–518.  
G. Nebe. See also C. Bachoc.
- [Nie] H.-V. Niemeier, *Definite Quadratischen Formen der Discriminante 1 und der Dimension 24*, *J. Number Theory* **5** (1973), 141–178.
- [No] J. Nottebaum, *Sphärische 4-designs in Gittern*, Diplomarbeit, Universität Oldenburg (1995).  
S.P. Norton. See [ATLAS].  
A. M. Odlyzko. See [C-S], Chapters 13 and 19.
- [Oe1] J. Oesterlé, *Le théorème des classes jumelles de Zimmert et les formules explicites de Weil*, in *Sém. Th. Nombres de Paris 1983–84*, *Prog. Math.* **59**, Birkhäuser, Basel (1985), 181–197.
- [Oe2] J. Oesterlé, *Empilements de sphères*, in *Séminaire Bourbaki 1989–1990*, *Astérisque* **189–190** (1990), 375–397.
- [Ogg] A. Ogg, *Modular forms and Dirichlet series*, Benjamin, New York (1969).
- [O-W] S. Ohno, T. Watanabe, *Estimates of Hermite Constants for Algebraic Number Fields*, *Comm. Math. Univ. Sancti Pauli* **50** (2001), 53–63.
- [O’M] O.T. O’Meara, *Introduction to Quadratic Forms*, Springer-Verlag, *Grundlehren* **117**, Heidelberg (1963).  
M. O’Ryan. See R. Baeza.  
R.A. Parker. See [ATLAS].  
S. Pasupathy. See F.R. Kschischang.
- [Pl1] W. Plesken, *Finite modular groups of prime degree and circulants*, *J. Algebra* **97** (1985), 286–312.
- [Pl2] W. Plesken, *Lattices of covariant quadratic forms*, *L’Ens. Math.* **47** (2001), 21–56.
- [Pl-P1] W. Plesken, M. Pohst, *Constructing Integral Lattices with Prescribed Minimum. I*, *Math. Comp.* **45** (1985), 209–221 and S5–S16.
- [Pl-P2] W. Plesken, M. Pohst, *Constructing integral lattices with prescribed minimum. II*, *Math. Comp.* **60** (1993), 817–825.
- [Pl-S] W. Plesken, B. Souvignier, *Computing isometries of lattices*, *J. Symbolic Computation* **24** (1997), 327–334.  
W. Plesken. See also G. Nebe.  
M. Pohst. See Plesken (above), Wagner (second part).

- [Q1] H.-G. Quebbemann, *Zur Klassifikation unimodularer Gitter mit Isometrie von Primzahlordnung*, J. reine angew. Math. **326** (1981), 158–170.
- [Q2] H.-G. Quebbemann, *An application of Siegel’s formula over quaternion orders*, Mathematika **31** (1984), 12–16.
- [Q3] H.-G. Quebbemann, *A construction of integral lattices*, Mathematika **31** (1984), 138–141.
- [Q4] H.-G. Quebbemann, *Lattices with theta-functions for  $G(\sqrt{2})$  and linear codes*, J. Algebra **105** (1987), 443–450.
- [Q5] H.-G. Quebbemann, *Unimodular lattices with isometries of large prime order. II*, Math. Nachr. **156** (1992), 219–224.
- [Q6] H.-G. Quebbemann, *Modular lattices in Euclidean spaces*, J. Number Theory **54** (1995), 190–202.
- [Q7] H.-G. Quebbemann, *Atkin-Lehner eigenforms and strongly modular lattices*, L’Ens. Math **43** (1997), 55–65.
- H.-G. Quebbemann. See also Batut.
- [Qi-Z] J.R. Quine, P. L. Zhang, *Extremal symplectic lattices*, Israel J. Math. **108** (1998), 237–251.
- [R-S] E. Rains, N.J.A. Sloane, *Shadow theory of modular and unimodular lattices*, J. Number Theory **73** (1998), 359–389.
- [Ran1] R.A. Rankin, *On positive definite quadratic forms*, J. London Math. Soc. **28** (1953), 309–314.
- [Ran2] R.A. Rankin, *On the minimal points of a perfect quadratic form*, Math. Z. **84** (1964), 228–232.
- [Rei] I. Reiner, *Maximal orders*, London Math. Soc. Monographs **5**, London (1975).
- [Rie] C. Riener, *On extreme forms in dimension 8*, J. Th. Nombres de Bordeaux **18** (2006), 677–682.
- [Rog] C.A. Rogers, *Packing and covering*, Cambridge University Press, Cambridge, U.K. (1964).
- S.S. Ryshkov. See E.P. Baranovskii and part 2.
- [Sch1] R. Scharlau, *Unimodular lattices over real quadratic fields*, Math. Zeitschrift **216** (1994), 437–452.
- [Sch-SP] R. Scharlau, R. Schulze-Pillot, *Extremal lattices*, in Algorithmic Algebra and Number Theory, B.H. Matzat, G.-M. Greul, G. Hiss ed., Springer-Verlag, Heidelberg (1999), 139–170.
- [Sch-V] R. Scharlau, B.B. Venkov, *The genus of the Barnes–Wall lattice*, Comment. Math. Helvetici **69** (1994), 322–333.
- R. Scharlau. See also C. Batut.
- [SchW] W. Scharlau, *Quadratic and Hermitian Forms*, Grundlehren **270**, Springer-Verlag, Heidelberg (1985).
- [Scho] B. Schoeneberg, *Das Verhalten von mehrfachen Thetareihen bei Modulsubstitutionen*, Math. Ann. **116** (1939), 511–523.
- [S-W] R. Schoof, L. Washington, *Quintic polynomials and real cyclotomic fields with large class numbers*, Math. Comp. **50** (1988), 543–556.
- B. Schröder. See W. Lempken.

- [Schu] T. Schulz, *Konstruktion rationaler Darstellungen endlicher Gruppen*, Thesis, Aachen, Lehrstuhl B (2002).  
*R. Schulze-Pillot*. See R. Scharlau.
- [Sco1] P.R. Scott, *On perfect and extreme forms*, J. Austral. Math. Soc. **4** (1964), 56–77.
- [Sco2] P.R. Scott, *The construction of perfect and extreme forms*, Canad. J. Math. **18** (1966), 147–158.  
*J.J. Seidel*. See P.W.H. Lemmens.
- [Se1] J-P. Serre, *Corps locaux*, second edition, Hermann, Paris (1968), translated into English as:
- [Se'1] J-P. Serre, *Local Fields*, Springer-Verlag, Heidelberg (1995).
- [Se2] J-P. Serre, *Cours d'arithmétique*, P.U.F., Paris (1970), translated into English as:
- [Se'2] J-P. Serre, *A Course in Arithmetic*, Graduate Texts in Math. **7**, Springer-Verlag, Heidelberg (1973).
- [Se3] J-P. Serre, *Représentations linéaires des groupes finis*, second edition, Hermann, Paris (1971); translated into English as:
- [Se'3] J-P. Serre, *Linear Representations of Finite groups*, Graduate Texts in Math. **42**, Springer-Verlag, Heidelberg (1977).
- [Se4] J-P. Serre, *Œuvres*, Springer-Verlag, Heidelberg (1986, 2000).
- [Sh1] T. Shioda, *Some remarks on elliptic curves over function fields*, Astérisque **209** (1992), 99–114.
- [Sh2] T. Shioda, *A uniform construction of the root lattices  $E_6, E_7, E_8$  and their dual lattices*, Proc. Japan Academy **71(A)** (1995), 140–143.
- [Sig1] F. Sigrist, E-mail to J. Martinet (September 11, 1990).
- [Sig2] F. Sigrist, *Formes Quadratiques encapsulées*, J. Th. Nombres de Bordeaux **2** (1990), 425–429.
- [Sig3] F. Sigrist, *Cyclotomic quadratic forms*, J. Th. Nombres de Bordeaux **12** (2000), 519–530.  
*F. Sigrist*. See also A.-M. Bergé, D-O. Jaquet.
- [S11] N.J.A. Sloane, Letter to J. Martinet (May 11, 1992); now expanded in [Ne-Sl] as *A table of the highest kissing numbers presently known*.
- [S12] N.J.A. Sloane, *The Sphere packing problem*, in Proceedings Internat. Congress Math. Berlin 1998, Documenta Mathematica, III (1998), pp. 387–396.  
*N.J.A. Sloane*. See also N. Bernstein, J.H. Conway, Y. Edel, F.J. MacWilliams, G. Nebe, E. Rains, and Appendix 2 to [Bu-Sa].  
*P. Solé*. See P. Loyer above; R. Chapman, Ph. Gaborit, below.
- [Sou1] B. Souvignier, *Die irreduziblen Bravaisgruppen in  $GL_8(\mathbb{Z})$* , Diplomarbeit, RWTH Aachen (1991).
- [Sou2] B. Souvignier, *Irreducible finite integral matrix groups of degree 8 and 10*, Math. Comp. **63** (1994), 335–350.  
*B. Souvignier*. See also W. Plesken.
- [Sta1] K. C. Stacey, *The enumeration of perfect septenary forms*, J. London Math. Soc. **10** (1975), 97–104.

- [Sta2] K. C. Stacey, *The perfect septenary forms with  $D_4 = 2$* , J. Austral. Math. Soc. **22** (1976), 144–164.
- [Sti] E. Stiemke, *Über positiven Lösungen homogener linearer Gleichungen*, Math. Ann. **76** (1915), 340–342.
- [St] M.I. Štogrin, *Locally quasi-densest lattice packings of spheres*, Soviet Math. Dokl. **15** (1974), 1288–1292.  
P.H. Tiep. See N. Dummigan, W. Lempken.
- [Ti] J. Tits, *Quaternions over  $\mathbb{Q}(\sqrt{5})$ , Leech’s lattice and the sporadic group of Hall–Janko*, J. Algebra **63** (1980), 56–75.  
J.A. Todd. See H.S.M. Coxeter.
- [Var] A. Vardy, *A new sphere packing in 20 dimensions*, Invent. Math. **121** (1995), 119–133.
- [Ven1] B.B. Venkov, *On even unimodular Euclidean lattices of dimension 32*, J. Soviet Math. **26** (1984), 1860–1867; Russian original: 1982.
- [Ven2] B.B. Venkov, *Even unimodular extremal lattices*, Proc. Steklov Inst. Math. **165** (1984), 47–52; Russian original: 1984.
- [Ven3] B.B. Venkov, *Réseaux et “designs” sphériques*, (Notes by J. Martinet), [Mar’] (2001), 10–86.  
(Referred to erroneously as a future [Bc-V3] in the French edition.)
- [Ven4] B.B. Venkov, *On even unimodular Euclidean lattices of dimension 32, II*, J. Soviet Math. **36** (1987), 21–38; Russian original: 1984.
- [Ven5] B.B. Venkov, *Unimodular lattices and strongly regular graphs*, J. Soviet Math. **29** (1985), 1121–1127; Russian original: 1983.  
B. Venkov. See also R. Bacher, C. Bachoc, J. Martinet, G. Nebe, H. Koch, R. Scharlau.
- [Vet] N.M. Vetchinkin, *Uniqueness of the classes of positive quadratic forms on which the values of Hermite constants are attained for  $6 \leq n \leq 8$* , Proc. Steklov Inst. Math. **152**, 34–86.
- [Vi] M-F. Vignéras, *Arithmétique des Algèbres de Quaternions*, Lecture Notes **800**, Springer-Verlag, Heidelberg (1980).
- [Vo1] G. Voronoï, *Nouvelles applications des paramètres continus à la théorie des formes quadratiques : 1 Sur quelques propriétés des formes quadratiques positives parfaites*, J. reine angew. Math **133** (1908), 97–178.
- [Vo2] G. Voronoï, *Nouvelles applications des paramètres continus à la théorie des formes quadratiques : 2 Recherches sur les paralléloèdres primitifs, première partie*, J. reine angew. Math **134** (1908), 198–287.
- [Vo3] G. Voronoï, *Nouvelles applications des paramètres continus à la théorie des formes quadratiques : 2 Recherches sur les paralléloèdres primitifs, deuxième partie*, J. reine angew. Math **136** (1909), 67–181.
- [vdW] B.L. van der Waerden, *Die Reduktionstheorie der positiven quadratischen Formen*, in Studien zur Theorie der quadratischen Formen, B.L. van der Waerden and H. Gross ed., Birkhäuser, Basel (1968), 17–44.  
G.E. Wall. See E.S. Barnes.
- [Was] L.C. Washington, *Introduction to Cyclotomic Fields*, Graduate Texts **83**, Springer-Verlag, Heidelberg (1982).

- L. Washington*. See also R. Schoof.
- [Wata1] T. Watanabe, *On an analog of Hermite's constant*, J. Lie Theory **10** (2000), 33–52.
- [Wata2] T. Watanabe, *Upper bounds for Hermite's constants for orthogonal groups*, Comm. Math. Univ. Sancti Pauli **48** (1999), 25–33.
- T. Watanabe*. See also S. Ohno.
- [Wat1] G.L. Watson, *Transformations of a quadratic form which do not increase the class-number*, Proc. London Math. Soc. **12** (1962), 577–587.
- [Wat2] G.L. Watson, *On the minimum of a positive quadratic form in  $n(\leq 8)$  variables (verification of Blichfeldt's calculation)*, Proc. Camb. Phil. Soc. **62** (1966), 719.
- [Wat3] G.L. Watson, *On the minimal points of a perfect septenary quadratic form*, Mathematika **16** (1969), 170–177.
- [Wat4] G.L. Watson, *On the minimum points of a positive quadratic form*, Mathematika **18** (1971), 60–70.
- [Wat5] G.L. Watson, *The number of minimum points of a positive quadratic form*, Dissertationes Math. **84** (1971), 1–46.
- [Wat6] G.L. Watson, *The least common denominator of the coefficient of a perfect quadratic form*, Acta Arith. **18** (1971), 29–36.
- [Wat7] G.L. Watson, *The number of minimum points of a positive quadratic form having no perfect binary section with the same minimum*, Proc. London Math. Soc. **24** (1972), 625–646.
- [Obituary of Watson: J.V. Armitage, Bull. London Math. Soc. **45** (2013), 432–445.]
- R.A. Wilson*. See [ATLAS].
- [Zah] N.V. Zahareva, *Centerings of 8-dimensional lattices that preserve a frame of successive minima*, Proc. Steklov Inst. Math. **152** (1982), 107–134; Russian original: 1980.
- [Zas] H. Zassenhaus, *The Theory of Groups* (second edition), Chelsea, New York (1958).
- P.L. Zhang*. See J.R. Quine.
- [Zi] R. Zimmert, *Ideale kleiner Norm in Idealklassen und eine Regulator Abschätzung*, Invent. Math. **62** (1981), 367–380.
- G. Zolotareff*. See A. Korkine.

## COMPLEMENTARY BIBLIOGRAPHY

**General information.**

• The *National Academy of Sciences of Ukraine* organizes every five years in Kyiv the congress *Voronoi's impact on modern science*. Congresses were held in 1993, 1998, 2003. The next one was planned to 2008, and a further is planned in 2013, September 16-20 (announcement on May, 22nd on the *Number Theory Web*).

Acts for the last two congresses have been published:

Book 1, Book 2 (1998), relative to the 1998 congress;

Book3 (2005), relative to the 2003 congress.

• The book [Ne-R-S2] (see below) has been published in 2006 by Springer-Verlag.

• The book [Schr1] (see below) has been published in 2009 by the Amer. Math. Soc.

• The book [C-F-S-V], edited by W.K. Chan, L. Kukshansky, R. Schulze-Pillot and J.D. Vaaler, *Diophantine Methods, Lattices, and Arithmetic Theory of Quadratic Forms*, Contemporary Math. **587** (2013), contains several papers connected with the subject of my book.

**References.**

- [Abd] K. Abdukhalikov, *Unimodular Hermitian lattices in dimension 13*, J. Algebra **272** (2004), 186–190.
- [Abd-S] Abdukhalikov, R. Scharlau, *Unimodular lattices in dimensions 14 and 15 over the Eisenstein integers*, Math. Comp. **78** (2009), 387–403; arXiv:0710.3664v1, 19 Oct. 2007.
- [Anz] M.M. Anzin, *On variation of positive quadratic forms (with application to the study of perfect forms)*, Proc. Steklov Inst. Math. **4** (1992), 11–27; Russian original: **196** (1991).
- [AMRT] A. Ash, D. Mumford, M. Rapoport, Y. Tai, Smooth compactification of locally symmetric varieties. Lie Groups: History, Frontiers and Applications, Vol. IV. Math. Sci. Press, Brookline, Mass. (1975), 335 pp. MR0457437 (56#15642); Reviewer: Ichiro Satake
- [Bc3] R. Bacher, *A new Inequality for the Hermite Constants*, Int. J. Number Th. **4** (2008), 363–386.
- [Bc4] R. Bacher, *Construction of some perfect integral lattices with minimum 4*, J. Th. Nombres de Bordeaux **27** (2015), 655–687; preprint at arXiv:1401.3601 (15. Jan. 2014).
- [Bc5] R. Bacher, *On the number of perfect lattices*, J. Th. Nombres de Bordeaux **30** (2018), 917-945; preprint at arXiv:1704.02234 (7 April 2017).
- [Bac4] C. Bachoc, *Designs, groups, and Lattices*, J. Th. Nombres de Bordeaux (issue dedicated to the Journées Arithmétiques of Graz, 2003) **17** (2005), 25–44.
- [Bac-Gb] C. Bachoc, Ph. Gaborit, *Designs and self-dual codes with long shadows*, J. Comb. Th., A **105** (2004), 15–34.
- [Bac-V1] C. Bachoc, F. Vallentin, *New upper bounds for kissing numbers from semidefinite programming*, J. Amer. Math. Soc. **21** (2008), 909–924.

- [Bac-V2] C. Bachoc, F. Vallentin, *Semidefinite programming, multivariate orthogonal polynomials, and codes in spherical caps*, European J. Combin. **30** (2009), 625–637.
- [Ban1] E. Bannai, *On some spherical  $t$ -designs*, Geom. Dedicata **43** (1992), 167–179.
- [Ban2] E. Bannai, *Orthogonal polynomials, algebraic combinatorics and spherical  $t$ -designs*, Proc. Sympos. Pure Math. **37** (1980), 465–468.
- [Ban3] E. Bannai, *Spherical  $t$ -designs which are orbits of finite groups*, J. Math. Soc. Japan **36** (1984), 341–354.
- [Ban4] E. Bannai, *Spherical designs and group representations*, Combinatorics and Algebra, C. Greene ed., Contemporary Math. **34** (1984), 95–107.
- [Bav5'] C. Bavard, *Voronoi theory for hyperbolic families of symplectic lattices*, Proceedings of the "Third Voronoi Conference on Analytic Number Theory and Spatial Tessellations, Kyiv, September 22-28, 2003 (2005), 79–85. [This is an account for [Bav5] (2007).]
- [Bav6] C. Bavard, *Isodualité des réseaux euclidiens en petite dimension*, submitted; prprint at arXiv (8 Nov 2014), 67 pp.
- [Bay6] E. Bayer-Fluckiger, *Determinants of integral ideal lattices and automorphisms with given characteristic polynomial*, J. Algebra **257** (2002), 215–221.
- [Bay7] E. Bayer-Fluckiger, *Upper bounds for Euclidean minima of algebraic number fields*, J. Number Theory **121** (2006), 305–323.
- [Bay-Ne] E. Bayer-Fluckiger, G. Nebe, *On the Euclidean minimum of some real number fields*, J. Th. Nombres Bordeaux **17** (2005), 437–454.
- [Bay-S1] E. Bayer-Fluckiger, I. Suarez, *Modular lattices over cyclotomic fields*, J. Number Theory **114** (2005), 394–411.
- [Bay-S2] E. Bayer-Fluckiger, I. Suarez, *Ideal lattices over totally real number fields and Euclidean minima*, Archiv Math. **86** (2006), 217–225.
- [Ber5] A.-M. Bergé, *On certain Coxeter lattices without perfect sections*, J. Alg. Combinatorics **20** (2004), 5–16.
- [Ber6] A.-M. Bergé, *On lattices of maximal index two*, arXiv:0806.0724v1, 4 June 2008.  
[Anne-Marie Bergé passed away on September 20th, 2008; the obituary by J. Martinet, *Anne-Marie Bergé — In Memoriam*, J. Th. Nombres Bordeaux **20**, fasc. **2** (2008), i–xi, can be read at the end of the main part of my homepage.]
- [B-M7] A.-M. Bergé, J. Martinet, *A generalization of some lattices of Coxeter*, Mathematika **51** (2004), 49–61.
- [B-M8] A.-M. Bergé, J. Martinet, *On weakly eutactic forms*, J. London Math. Soc. **75** (2007), 187–198; see also *Voronoi graphs, cells, and spherical designs*, Oberwolfach Reports 1/2005, 20–23.
- [B-M9] A.-M. Bergé, J. Martinet, *Sublattices of certain Coxeter lattices (A paper in the honour of Georges Gras)*, J. Th. Nombres Bordeaux **17** (2005), 455–465.
- [B-M10] A.-M. Bergé, J. Martinet, *On Perfection Relations in Lattices*, Contemporary Math. **493** (2009), 29–49; arXiv:math.NT/0611220 (8 Nov. 2006).

- [B-F-G-M] A. Böttcher, L. Fukshansky, S.R. Garcia, H. Maharaj, *On lattices generated by finite Abelian groups*, preprint at arXiv:1406.7595 (1. July, 2014).
- [B-Cou] O. Braun, R. Coulangeon, *Perfect Lattices over Imaginary Quadratic Number Fields*, Math. Comp. **84** (2015), 1451–1467; preprint at arXiv:1304.0559 (2 Apr 2013).
- [B-C-N-S] O. Braun, R. Coulangeon, G. Nebe, S. Schoennenbeck, *Computing in arithmetic groups with Voronoi’s algorithm*, J. Algebra **435** (2015), 263–285; preprint at arXiv:1407.6234.
- [C-I-L] W.K. Chan, M. I. Icaza, E.A. Lauret, *A generalized Hermite constant and its computations for imaginary quadratic fields*, arXiv:1307.3714 (2013), 11 pp.
- [C-D-G-S] R. Chapman, S.T. Dougherty, P. Gaborit, P. Solé, *2-modular lattices from ternary codes*, J. Th. Nombres Bordeaux 14 (2002), 73–85.
- [Chen] Hao Chen, *On a generalization of Craig lattices*, J. Th. Nombres Bordeaux **25** (2013), 59–70.
- [Chng] S. Cheng [Shentian Cheng], *Dense Packings from Algebraic Number Fields and Codes*, arXiv:1506.00419 [math.NT], June 1st, 2015.
- [Cn1] H. Cohn, *New upper bounds on sphere packings II*, Geometry & Topology **6** (2002), 329–353.
- [Cn2] H. Cohn, *A Conceptual Breakthrough in Sphere Packing*, Preprint, arXiv 1611.01685v1, 5 Nov. 2016.
- [Cn-El] H. Cohn, N. Elkies, *New upper bounds on sphere packings I*, Ann. Math. **157** (2003), 689–714.
- [Cn-Km1] H. Cohn, A. Kumar, *Optimality and uniqueness of the Leech lattice among lattices*, Ann. Math. **170** (2009), 1003–1050; arXiv:math.MG/0403263.
- [Cn-Km2] H. Cohn, A. Kumar, *Uniqueness of the  $(22,891,1/4)$  spherical code*, New York J. Math. **13** (2007), 147–157 (electronic); arXiv:math.MG/0607448.
- [C-K-V-al] H. Cohn, A. Kumar, S. Miller, D. Radchenko, M. Viazovska, *The sphere packing problem in dimension 24*, Ann. Math. **185** (2017), 1017–1033; preprint, arXiv:1603.06518 (March 21., 2016). [See also [Cn2] above.]
- [Cou7] R. Coulangeon, *Spherical Designs and Zeta Functions of Lattices*, Int. Math. Res. Not. (2006), Art. ID 49620, 16 pp.
- [Cou8] R. Coulangeon, *On Epstein zeta function of Humbert forms*, Inter. J. Number Theory **4** (2008), 387–401.
- [Cou-I-O] R. Coulangeon, M.I. Icaza, M. O’Ryan, *Lenstra’s constant and extreme forms in number fields*, Exp. Math. **16** (2007), 455–462.
- [Cou-L] R. Coulangeon, G. Lazzarini, *Spherical designs and heights of Euclidean lattices*, J. Number Theory **141** (2014), 288–315; preprint at arXiv:1401.2891 (13 Jan. 2014).
- [Cou-Ne1] R. Coulangeon, G. Nebe, *Dense lattices as Hermitian tensor products*, (Proceedings of a 2011 Banff workshop on lattices), Contemporary Math. **587** (2013), 47–57; preprint at arXiv:1201.1832 (2012), under the title *The unreasonable effectiveness of the tensor product*.

- [Cou-Ne2] R. Coulangéon, G. Nebe, *Maximal finite subgroups and minimal classes*, L'Ens. Math. **60** (2014), no. 3-4, 231–246. preprint (2013) at arXiv:1304.2597.
- [Cou-Schr] *Energy minimization, periodic sets and spherical designs*, Int. Math. Res. Not. **4** (2012), 829–848.
- [Cou-Wt] R. Coulangéon, T. Watanabe, *Hermite constant and Voronoi theory over a quaternion skew field*. Osaka J. Math. **43** (2006), 517-556.  
*R. Coulangéon*, see also O. Braun.  
*E. Dable-Heath*. See C. Porter.  
*S.T. Dougherty*. See R. Chapman.
- [D-S-V1] M. Dutour Sikirić, A. Schürmann, F. Vallentin, *Classification of eight dimensional perfect forms*, Electron. Res. Announc. Amer. Math. Soc. **13** (2007), 21–32; preprint at arXiv:math/0609388.
- [D-S-V2] M. Dutour Sikirić, A. Schürmann, F. Vallentin, *A generalization of Voronoi's reduction theory and its application*, Duke Math. J. **142** (2008), 127-164; arXiv:math/0601084
- [D-S-V3] M. Dutour Sikirić, A. Schürmann, F. Vallentin, *Inhomogeneous extreme forms*, Ann. Inst. Fourier **62** (2012), 2227–2255 (2013); arXiv:1008.4751.
- [D-E-K-M] M. Dutour Sikirić, Ph. Elbaz-Vincent, A. Kupers, J. Martinet, *Voronoi complexes in higher dimensions, cohomology of  $GL_N(\mathbb{Z})$  for  $N \geq 8$  and the triviality of  $K_8(\mathbb{Z})$* , submitted; preprint at arXiv:1910.11598, 25 Oct. 2019.
- [D-W] M. Dutour Sikirić, W. van Woerden, *The Lattice Packing Problem in Dimension 9 by Voronoi's Algorithm*, arXiv:2508.20719 August 29th, 2025.
- [E-G-S1] P. Elbaz-Vincent, H. Gangl, C. Soulé, *Quelques calculs de la cohomologie de  $GL_N(\mathbb{Z})$  et de la  $K$ -théorie de  $\mathbb{Z}$* , C.R. Acad. Sci. Paris **335** (2002), 321–324.
- [E-G-S2] P. Elbaz-Vincent, H. Gangl, C. Soulé, *Perfect forms and the cohomology of modular groups*, Advances in Math. **245** (2013), 587–624; arXiv:math/1001.0789v1.  
replaces *Perfect Lattices, Homology of Modular Groups and Algebraic K-theory*, Oberwolfach Reports 1/2005 (2005), 36–39.  
*Ph. Elbaz-Vincent*, see also M. Dutour Sikirić.  
*S. Ferguson*. See T.C. Hales.
- [F-I-P] A.L. Flores, J.C. Interlando, T. Pires da Nóbrega Neto, *An Extension of Craig's Family of Lattices*, Canad. Math. Bull. **54** (2011), 645–653.
- [FIPLO] A.L. Flores, J.C. Interlando, T. Pires da Nóbrega Neto, D. Lopes, J. Othon, *On a refinement of Craig's lattices*, J. Pure Appl. Algebra **215** (2011), 1440–1442.  
*L. Fukshansky*. See A. Böttcher.  
*H. Gangl*. See P. Elbaz-Vincent.  
*S.R. Garcia*. See A. Böttcher.
- [Gb] Ph. Gaborit, *Construction of new extremal unimodular lattices*, European J. Combin. **25** (2004), 549–564.

- [Gb-N-S] Ph. Gaborit, A.M. Natividad, P. Solé, *Eisenstein lattices, Galois rings and quaternary codes*, Int. J. Number Theory **2** (2006), 289–303.
- [Gb-Zm] Ph. Gaborit, G. Zémor, *On the construction of dense lattices with a given automorphism group*, Ann. Inst. Fourier **57** (2007), 1051–1062.  
Ph. Gaborit. See also C. Bachoc, R. Chapman.
- [Gi] Marc Gindraux, *Lamination et antilamination des réseaux euclidiens*, J. Th. Nombres Bordeaux **21** (2009), 535–557. (Replaces [Gi].)
- [Gr1] R.L. Griess, *Positive definite lattices of rank at most 8*, J. Number Theory **103** (2003), 77–84.
- [Gr2] R.L. Griess, *An introduction to groups and lattices: finite groups and positive definite rational lattices*, Advanced Lectures in Mathematics nu. 15, International Press (2011).
- [H11] T.C. Hales, see <http://www.math.pitt.edu/thales/>.
- M. Harada. *Numerous papers often with (various) co-authors deal with self-dual codes and applications to unimodular lattices.*  
One example is referred below:
- [Hr-Kt-Oz] M. Harada, M. Kitazume, M. Ozeki, *Ternary code construction of unimodular lattices and self-dual codes over  $\mathbb{Z}_6$* , J. Algebraic Combin. **16** (2002), 209–223.
- [H-Pa1] P. de la Harpe, C. Pache, *Spherical designs and finite group representations (some results of E. Bannai)*, European J. Combin. **25** (2004), 213–227.
- [H-Pa2] P. de la Harpe, C. Pache, *Cubature formulas, geometrical designs, reproducing kernels, and Markov operators*, Acts of the International Conference on Group Theory (Gaeta, June 2003); Progr. Math., 248, Birkhäuser, Basel (2005), 219–267; arXiv:math/0502312.
- [H-Pa-V] P. de la Harpe, C. Pache, B. Venkov, *Construction of spherical cubature formulas using lattices*, Algebra i Analiz **18** (2006), 162–186; translation in St. Petersburg Math. J. **18** (2007), no. 1, 119–139; arXiv:math/0505510.
- [H-O] X. Hou, F. Oggier, *Modular lattices from a variation of construction A over number fields*, Adv. Math. Commun. **11** (2017), 719–745; arXiv:math1604.01583e (6 Apr 2016), 26 pp.
- [Hu-Ne1] S. Hu, G. Nebe, *Strongly perfect lattices sandwiched between Barnes-Wall lattices*, J. London Math. Soc. **101** (2020), 1068–1089; preprint at arXiv:math1805.01196 (3 May 2018).
- [Hu-Ne2] S. Hu, G. Nebe, *Low dimensional strongly perfect lattices IV: The dual strongly perfect lattices of dimension 16*, J. Number Theory **208** (2020), 262–294; preprint at arXiv:math1905.07307 (17 May 2019).
- [Hu-Y] C. Hurlburt, S. Yazdani, *Hermite’s Constant for Number Fields*, Canad. J. Math. **64** (2012), 301–317.  
M.I. Icaza. See also W.K. Chan, R. Coulangeon  
J.C. Interlando. See A.L. Flores.
- [K-M-S] W. Keller, J. Martinet, A. Schürmann, *On classifying Minkowskian sublattices*, Math. Comp. **81** (2012), 1063–1092; arXiv:0904.3110v3.

- M. Kitazume.* See M. Harada.
- A. Kumar.* See H. Cohn.
- A. Kupers,* see M. Dutour Sikirić.
- [L-L-S] J.C. Lagarias, H.W. Lenstra, C.P. Schnorr, *Korkin-Zolotarev bases and successive minima of a lattice and its reciprocal lattice*, *Combinatorica* **10** (1990), 333-348.
- E.A. Lauret.* See W.K.Chan.
- G. Lazzarini.* See R. Coulangeon.
- H.W. Lenstra,* see J.C. Lagarias.
- C. Ling.* See Porter.
- D. Lopes.* See A.T. Flores.
- H.Maharaj.* See A. Böttcher.
- [Mar9] J. Martinet, *The Perfection Default Module of a Euclidean Lattice*, preprint, Université Bordeaux 1 (2000), <http://www.math.u-bordeaux.fr/~martinet/>.
- [Mar10] J. Martinet, *Reduction Modulo 2 and 3 of Euclidean Lattices, II*, Acts of the Conference on Quadratic Forms, Talca, Chile, December 2002; *Contemporary Math.* **344** (2004), 265–273.
- [Mar11] J. Martinet, *Bases of minimal vectors in Euclidean lattices, I* *Archiv Math.* **89** (2007), 404–410.
- [Mar12] J. Martinet, *Bases of minimal vectors in Euclidean lattices, II* *Archiv Math.* **89** (2007), 541–551.
- [Mar13] J. Martinet, *On the index system of well-rounded lattices*, arXiv:1202.2295v1 [math.NT] (10 Feb 2012).
- [Mar14] J. Martinet, *Hermite versus Minkowski*, preprint at arXiv:1403.1457v1 [math.NT], March 6th, 2014
- [Mar-Sch] Former reference for [K-M-S] above.
- [Mar-Schr1] J. Martinet, A. Schürmann, *Bases of minimal vectors in Euclidean lattices, III*, *Inter. J. Number T.* **08, 2** (2012), 551–567. arXiv:1105.5889v1
- [Mar-V2] J. Martinet, B. Venkov, *On integral lattices having an odd minimum*, *Algebra and Analysis (Saint-Petersburg)* **16, 3** (2004), 99–142.
- J. Martinet.* See also A.-M. Bergé, M. Dutour Sikirić, W. Keller.
- [Mey] B. Meyer, *Generalised Hermite constants, Voronoi theory and heights on flag varieties*, *Bull. S.M.F.* **137** (2009), 127–158.
- S. Miller.* See also H.Cohn.
- [McM] C.T. McMullen, *Minkowski’s conjecture, well-rounded lattices and topological dimension*, *J. Amer. Math. Soc* **18** (2005), 711–734.
- D. Mumford,* see A. Ash.
- A.M. Natividad.* See Ph. Gaborit.
- [Ne6] G. Nebe, *An even unimodular 72-dimensional lattice of minimum 8*, *J. reine angew. Math.* **673** (2012), 237–247; arXiv:1008.2862.
- [Ne7] G. Nebe, *Boris Venkov’s Theory of Lattices and Spherical Designs*, *Proceedings of a 2011 Banff workshop on lattices*, *Contemporary Math.* **587** (2013), 1-19; arXiv:1201.1834.

- [Ne8] G. Nebe, *On automorphisms of extremal even unimodular lattices*, Int. J. Number Theory **9** (2013), 1933-1959; arXiv:1212.0865 (2012).
- [Ne9] G. Nebe, *A new extremal even unimodular lattice of dimension 48*, arXiv:1312.3780 (2013), 7 pp.
- [Ne-No-V] , G. Nebe, E. Nossek, B. Venkov, *Low dimensional strongly perfect lattices. II: Dual strongly perfect lattices of dimension 13 and 15*, J. Th. Nombres Bordeaux **25** (2013), 147–161.
- [Ne-P] G. Nebe, R. Parker, *On extremal even unimodular 72-dimensional lattices*. Math. Comp., **83** (2014), 1489-1494.
- [Ne-R-S1] G. Nebe, E.Rains, N.J.A. Sloane, *The invariants of the Clifford groups*, Designs, Codes and Cryptography **24,1** (2001), 99–122.
- [Ne-R-S2] G. Nebe, E.Rains, N.J.A. Sloane, *Self-Dual Codes and Invariant Theory* (vol. 17 of “Algorithms and Computations in Mathematics”), Springer-Verlag, Heidelberg, 2006.
- [Ne-Schi] G. Nebe, K. Schindelar, *S-extremal strongly modular lattices*, J. Th. Nombres Bordeaux, **19** (2007), 683–701.
- [Ne-V3] G. Nebe, B. Venkov, *Unimodular lattices with long shadow*, J. Number Theory **99** (2003), 307-317.
- [Ne-V4] G. Nebe, B. Venkov, *Low dimensional strongly perfect lattices. I: The 12-dimensional case*, L’Ens. Math. **51** (2005), 129–163; arXiv:math/0503446.
- [Ne-V5] G. Nebe, B. Venkov, *On lattices whose minimal vectors form a 6-design*, preprint (2006); European J. Combin. **30** (2009), 716–724. (Special issue dedicated to Eiichi Bannai’s 60th birthday.)
- [Ne-V6] G. Nebe, B. Venkov, *Low dimensional strongly perfect lattices. III: Dual strongly perfect lattices in dimension 14*, Inter. J. Number T. **6** (2010), 387–409.
- G. Nebe. See also E. Bayer-Fluckiger, O. Braun, R. Coulangeon, S. Hu.
- [Nos1] E. Nossek, *Spherical designs and lattices*, Beitr. Algebra Geom. **55** (2014), 25—31; preprint, arXiv:1111.00772 [Math.NT] (3. Nov. 2011).  
E. Nossek. See also G. Nebe.
- [Nov] N. V. Novikova, *Three missed centering the 8-dimensional lattices, keeping a consecutive minima base*, preprint, Ivanovo (1981), 8 pages.
- [Oe3] J. Oesterlé, *Densité maximale des empilements de sphères en dimension 3 [d’après T. Hales et J. Ferguson]*, in Séminaire Bourbaki 1998-1999, exp. 863, Astérisque **266** (2000), 405–413.
- [Oe4] J. Oesterlé, *Densité maximale des empilements de sphères en dimensions 8 et 24 [d’après Viazovska et al.]*, in Séminaire Bourbaki 2016-2017 (June17th, 2017 ; preprint).
- F. Oggier. See X. Hou.
- K. Okuda. See M. Harada, and K. Sawatami below.
- [Op] J. Opgenorth, *Dual cones and the Voronoi algorithm*, Exp. Math. **10** (2004), 500–608.
- M. O’Ryan. See R. Coulangeon.
- J. Othon. See A.T. Flores.

- [Oz] M. Ozeki, *On a problem posed by R. Salvati Manni*, Acta Arith. **150** (2011), 1–22.  
M. Ozeki, see also M. Harada.
- [Pa1] C. Pache, *Espaces polynomiaux et formules de cubature*, Thèse, Univ. de Genève (2006).
- [Pa2] C. Pache, *Shells of selfdual lattices viewed as spherical designs*, preprint at arXiv:math/0502313.
- [Pa3] C. Pache, *Extremality and designs in spaces of quadratic forms*, Internat. J. Algebra Comput. **15** (2005), 1085–1127; arXiv:0804.0173.  
C. Pache. See also P. de la Harpe.  
R. Parker, See G. Nebe and first part.  
T. Pires. See A.L. Flores.
- [Pl3] W. Plesken, *Solving  $XX^{\text{tr}} = A$  over the integers*, Linear Algebra Appl. **226/228** (1995), 331–344.
- [Pe-vZ] R.A. Pendavingh, S.H.M. van Zam, *New Korkin-Zolotarev inequalities*, SIAM J. Optim. **18,1** (2007), 363–378.
- [Pf-Zg] F. Pfender, G.M. Ziegler, *Kissing numbers, sphere packings, and some unexpected proofs*, Notices Amer. Math. Soc. **51** (2004), 873–883.  
M. Pohst. See Plesken (first part), Wagner (below).
- [P-Y1] C. Poor, D.S. Yuen, *Linear dependence among Siegel Modular form*, Math. Ann. **318** (2000), 205–234.
- [P-Y2] C. Poor, D.S. Yuen, *Slopes of integral lattices*, J. Number Theory **100** (2003), 363–380.
- [P-Y3] C. Poor, D.S. Yuen, *The extreme core*, Abh. Math. Seminar Hamburg, **75** (2005), 1–25.
- [P-Y4] C. Poor, D.S. Yuen, *The Bergé-Martinet constant and slopes of Siegel cusp forms*, Bull. London Math. Soc. **38** (2006), 913–924.
- [P-D-L] C. Porter, E. Dabl-Heath, C. Ling, *New Bound for the Orthogonality Defect of HKZ Reduced Lattices*, arXiv:2208.11092 (11 Aug 2022).  
D. Radchenko, see H. Cohn.  
E.Rains, see G. Nebe.  
M. Rapoport, see A. Ash.
- [Reg] S. Regavim (with an appendix joint with L. Hadassi), *Minkowski bases, Korkin-Zolotarev bases and successive minima*, arXiv:2106.03183 (6 Jun 2021).
- [Ry] S. S. Ryshkov, *On the problem of the determination of quadratic forms in many variables*, Proc. Steklov Inst. Math. **142** (1979), 233–259; Russian original: 1976.
- [S-Wt] K. Sawatami, T. Watanabe, *Type one functions and Voronoi’s theorem*, J. Convex Analysis **18, 2** (2011), 341–351.
- [S-Wt-O] K. Sawatami, T. Watanabe, K. Okuda, *A note on the Hermite-Rankin constant*, J. Th. Nombres Bordeaux **22** (2010), 209–217.
- [Sch2] R. Scharlau, *The extremal lattice of dimension 14, level 7 and its genus*, Contemporary Math. **587** (2013), 167–183.  
R. Scharlau. See also Abdukhalikov.

- A. Schindelar . See G. Nebe  
 C.P. Schnorr, see J.C. Lagarias.
- [Schr1] A. Schürmann, *Computational geometry of positive definite quadratic forms*, University Lecture Series **48**, AMS, Providence, 2008.
- [Schr2] A. Schürmann, *Perfect, strongly eutactic lattices are periodic extreme*, Adv. Math. **225** (2010), no. 5, 2546–2564; arXiv:0808.2013v1.
- [Schr3] A. Schürmann, *Enumerating Perfect Forms*, Contemporary Math. **493** (2009), 359–377; arXiv:0901.1587.
- [Schr-V1] A. Schürmann, F. Vallentin, *Methods in the local theory of packing and covering lattices*, preprint, <http://fma2.math.uni-magdeburg.de/~latgeo/index/>
- [Schr-V2] A. Schürmann, F. Vallentin, *Computational Approaches to Lattice Packing and Covering Problems*, Discrete Comp. Geom. **35** (2006), 73–116; arXiv:Math/0403272.
- A. Schürmann . See also R. Coulangeon, M. Dutour Sikirić, W. Keller, J. Martinet.  
 N.J.A. Sloane, see G. Nebe.  
 P. Solé. See R. Chapman, Ph. Gaborit.  
 C.. Soulé. See P. Elbaz-Vincent.  
 I. Suarez, see E. Bayer.
- [Ste-Wak] D. Stehlé, M. Watkins, *On the extremality of an 80-dimensional lattice*, Algorithmic number theory, Springer Lecture Notes in Comput. Sci. **6197** (Berlin, 2010), 340–356.  
 T. Tai, see A. Ash.  
 F. Vallentin. See C. Bachoc, M. Dutour Sikirić, A. Schürmann.
- [Van1] S. Vance, *Mordell’s inequality for Eisenstein and Hurwitz lattices*, Trans. Amer. Math. Soc. **362** (2010), 3827–3839; arXiv:0810.2336v4 (April 1st, 2009).
- [Van2] S. Vance, *New lower bounds for the sphere packing density in high dimensions*, Advances in Mathematics **227** (2011), 2144–2156; arXiv:1105.3779.  
 S.H.M. van Zam, , see R.A. Pendavingh.
- [Vnk] A. Venkatesh, *A Note on Sphere Packings in High Dimension*, Inter. Math. Research Notices **2013, 7** (2013), 1628–1642.  
 B. Venkov. See also P. de la Harpe, G. Nebe, J. Martinet.  
 [Boris B. Venkov passed away on November 10th, 2011; see [Ne7].]
- [Viaz] M. Viazovska, *The sphere packing problem in dimension 8*, Ann. Math. **185** (2017), 991–1015; preprint at arXiv:1603.04246v1 (14 Mar 2016).  
 M. Viazovska, see also H. Cohn.
- B. L. van der Waerden. Here is an alternative reference for [vdW]:
- [vdW’] *Die Reduktionstheorie der positiven quadratischen Formen*, Acta Math. **96** (1956), 265–309.
- [W-P] M. Wagner, M. Pohst, *On the Computation of Hermite-Humbert Constants for Algebraic Number Fields*, J. Th. Nombres de Bordeaux **17** (2005), 905–920.

- T. Watanabe*. See R. Coulangeon, K. Sawatami.
- [Watk] *M. Watkins*, *Another 80-dimensional extremal lattice*, J. Th.. Nombres Bordeaux **24** (2012), 237–255.  
*M. Watkins*, see also D. Stehlé.
- [vW1] *W.P.J. van Woerden*, *Perfect quadratic forms: an upper bound and challenges in enumeration*, Master’s thesis, Leiden University, (2018).
- [vW2] *W.P.J. van Woerden*, *An upper bound on the number of perfect quadratic forms*, preprint at arXiv:1901.04807v1 (16 Jan. 2019)
- [Xing] *C. Xing* [Chaoping Xing], *Dense Packings from Quadratic Fields and Codes*, J. Combin. Theory 115 (2008), 1021–1035.  
*S. Yazdani*, see C. Hurlburt.  
*D.S. Yuen*. See C. Poor.
- [Zah1] See [Nov] above. Maxim ANZIN, in an e-mail dated March 23rd, 2004, pointed out to me that the three possible structures which were forgotten in [Zah] (related to my paper [Mar6]) were corrected by the author in a preprint in Russian written under the name of N. V. NOVIKOVA (see above), a preprint that I have never seen. Note also that in Math. Reviews, [Zah] reads Zaharova.  
*G. Zémor*. See Ph. Gaborit.  
*G.M. Ziegler*. See F. Pfender